STONEX

STONEX
LASER DISTANCE METERS

A tool that should not be missing at each Surveyor

STONEX LASER DISTANCE METERS

STONEX M4 / M6

A TOOL THAT SHOULD NOT BE MISSING AT EACH SURVEYOR

STONEX M4 and M6 Laser Distance meters are the best Surveyor's friends whenever there is an inaccessible point to be quickly measured. Both feature a range of 100 m on the measured distance, and the integrated tilt sensor of Stonex M6 opens a world of new measuring possibilities, such as indirect measurements of distance and heights with high accuracy.

RELIABILITY AND RUGGEDNESS

Stonex M4 & M6 are strongly protected against dust and splash water: M4 is IP54 certified while the IP65 grade of M6 guarantees a safe outdoor use of the unit, even under bad weather conditions.

UNIVERSAL END-PIECE

Stonex M4 & M6 are equipped with an universal flip-out end-piece that allows to measure in all possible conditions, even from edges or corners. The "zero measurement point" can be set in several modes (top/bottom/end-piece); moreover, on M6 the zero point can be set matching the position of the tripod, when in use.

LI-ION BATTERY, BLUETOOTH®, ICONS DISPLAY...

... are just a short list of the advanced features of the new Stonex M6 Laser Distance meter: ask your local Stonex Dealer for a complete demonstration.

STONEX M4

LIGHT AND POWERFUL BASIC MODEL

SMART CALCULATIONS

Despite its weight and price lightness, Stonex M4 features a powerful distance meter (up to 100m in good conditions) and several calculations programs (Indirect distances, Area & Volume, min/max distances, tracking, addition/subtraction).

BRIGHT 4 LINES BACKLIT DISPLAY

Allows to highlight the current measure and to show the last 3 measurements at the same time, always readable with the on/off backlight.

UNIVERSAL END-PIECE

M4 is fitted with a practical universal end-piece that allows to measure from edges and corners: the "zero measuring point" is quickly set with the dedicated button; 2 liquid bubbles allow to maintain the unit in the right direction.

IP54 CE RoHS2

STONEX M6

ADVANCED DISTANCE METER WITH TILT SENSOR

NAVIGATE USING CLEAR ICONS

Nothing can be easier: 4 arrows and clear icons allow to navigate into the advanced functions of Stonex M6, while dedicated buttons give a quick access to the calculation programs.

THE DAILY RELIABLE COMPANION

Fitted with 3D E-Bubble, Thermometer, Timer, adjustable tilt sensor, Time and Date indicators, automatic fixed distance tracking, USB port, Bluetooth facility, rechargeable high capacity Li - ion battery, selection between indications in angles or slope %. STONEX M6 is much more than a simple "advanced distance meter": it will be so helpful that you will not face any work without having the STONEX M6 with you.

TILT SENSOR FOR UNLIMITED CALCULATIONS

The accurate tilt sensor allows to calculate indirect distances and heights, area and volumes, to solve triangles, to check slopes with the E-Bubbles....

IP65 CE RoHS2

DRIVE YOUR M6 WITH ANY SMARTPHONE

Sketch app allows to drive Stonex M6 from any smartphone/tablet, to pair the drawing with the measured distances and to store data from M6.

STONEX LASER DISTANCE METERS

M4/M6 TECHNICAL FEATURES

	STONEX M4	STONEX M6

Technical data

Accuracy	± 1.5 mm	± 1.5 mm
Range	0.1 up to 100 m	0.1 up to 100 m
Measuring units	m, ft, in	m, ft, in
Tilt sensor measuring range	○	45°
Accuracy to the laser beam	○	± 0.3°
Accuracy to the housing	○	± 0.3°
Units in the tilt sensor	○	0.0°, 0.0%
Memory	20 results	1000 displays
Thermometer	○	●
Display	4 lines display	QVGA (320*240)
3D E-Bubble	○	●
2D Liquid Bubble	●	○
Time delay release (timer)	○	●
Display illumination	●	●
Data interface	○	Bluetooth 2.1 + USB
Multifunctional end-piece	●	●
Tripod thread	○	●
Battery Tipe	AAA 2*1.5V	Li-on (1050 mAh -3.7V)
Protection class	IP54	IP65
Dimensions	115*52*32.5 mm	125*53*33 mm
Weight with batteries	123 g	160 g

Function

Distance measurement	Up to 100	Up to 100 m
Minimum/maximum measurements	●	●
Area/Volume measurements	●	●
Triangle/room angle function	○	●
Pythagoras functions	●	●
Tilt measurement	○	± 45°
Subtraction/addition	●	●
Timer	○	●
Bluetooth®	○	●

In the box

Instrument unit	●	●
User Manual (ENG)	●	●
Scraw driver	●	●
Soft pouch	●	●
Lace	●	○
USB Cable with AC adapter	○	●
Battery	○	●

Specifications subject to change without notice

CE RoHS 2 2011/65/EU

UNI EN ISO 9001:2008 JULY 15 REV-00

STONEX AUTHORIZED DEALER

STONEX® Srl

Via Cimabue 39 - 20851 Lissone (MB) Italy
Phone +39 039 2783008 Fax +39 039 2789576
www.stonexpositioning.com | info@stonexpositioning.com